



1/8

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 5A



Environment

	LENGTH		WEIGHT		CENTER OF GRAVITY		SPEED		HORSEPOWER		DESIRED TURN RADIUS		SPONSORS		AERATED WATER	
	▼	▲	▼	▲	AFT	FWD	▼	▲	▼	▲	↺	↻	No	Yes	Bad	Good
"A"	▼	▲	▼	▲	◄	►	▼	▲		◄	▲	▼			▲	
"B"	▼	▲	▼	▲	▼	▲	▲	▼		◄	▼	▲				
"D"	▼	▲	▼	▲	▼	▲	▲	▼		▼	▼		▼	▲	▼	
"E"	▼	▲	▼	▲												


Fin
Parameters

Fig. 6


418

5/8

Upper Parameter "B" Values for 25' boat.



Lower Parameter "B" values for 25' boat.



6/8

Upper Parameter "B" Values for 35' boat.




FIG. 9

Lower Parameter "B" values for 35' boat.




FIG. 10

7/8

Upper Parameter "D" Values for 25' boat.




FIG. 11

Lower Parameter "D" values for 25' boat.




FIG. 12

8/8

Upper Parameter "D" Values for 35' boat.




FIG. 13

Lower Parameter "D" values for 35' boat.




FIG. 14